

ACTi

Factory Surveillance Solutions





Factory: Overview




ACTi has been helping factory owners create a safe and more automated environment. Real-time updates on the safety of the employees and the overall health status of the equipment and facilities, visualized information of the operational processes, and factory incident detection can maximize the efficiency of operations and security.

The security monitoring of the factory is assured by the AI-based video surveillance system while the authorized access is managed by ACTi's Access Control system.

The digital signage system is used both for the emergencies as well as for the regular instructions in the production areas.

The factory equipment can also be monitored in various ways – either by integrating the equipment's health status with the video management system or by monitoring the equipment's performance using the optical or thermal surveillance cameras.

Factory: Map





Factory: Applications vs Locations

	Production Area	Storage	Control Room	Loading Area	Parking	Entrance	Gate	Surrounding
Unauthorized Access Detection	Y	Y	Y	Y		Y	Y	
Tailgating Detection	Y	Y	Y	Y		Y		
Real-time Suspect Tracking	Y	Y	Y	Y	Y	Y	Y	Y
Vehicle Access Control					Y		Y	
Intercom Service	Y			Y	Y	Y	Y	
Large Perimeter Surveillance								Y
Equipment Status Monitoring	Y							
On-the-Go Surveillance	Y	Y	Y	Y	Y	Y	Y	Y
Safety Assurance	Y	Y	Y	Y	Y	Y	Y	Y
Video Evidence Push to NVR by Mobile Phone	Y	Y	Y	Y	Y	Y	Y	Y



Factory: Applications



Unauthorized Access Detection

Detect the intrusion attempts using video analytics and notify the security personnel.



Tailgating Detection

Detect tailgating at the entrance of restricted area by comparing the detected head count with number of presented access credentials.



Real-time Suspect Tracking

Track the suspect seamlessly by switching between video channels using transparent video overlay buttons in video management system.



Vehicle Access Control

The access control at the gate can be done conveniently using ALPR technology.



Intercom Service

Interact with other individuals by local voice-based communication system.



Factory: Applications



Large Perimeter Surveillance

Detect any intrusion in the large perimeter area.



Equipment Status Monitoring

Monitor the health or the temperature of the equipment for instant actions.



On-the-Go Surveillance

Monitor the views from surveillance cameras using a mobile device while walking around the premises, in order to respond to incidents instantly.



Safety Assurance

Ensure safety of people using video surveillance system.




Video Evidence Push to NVR by Mobile Phone

Use the built-in camera of the mobile phone to stream the video evidence of the incident to NVR.



Factory: Applications



Unauthorized Access Detection

Detect the intrusion attempts using video analytics and notify the security personnel.

Without surveillance videos, it is hard to be sure if the identity shown in the entry log matches the accessing person. Access control integrated with the surveillance system can remarkably prevent the crises and loss resulted from unauthorized access.

This is based on the **Face Recognition** analytics in ACTi's Door Stations.

Solutions

Access Control Solution
(SF20)

[Read](#)

Factory: Applications



Tailgating Detection

Detect tailgating at the entrance of restricted area by comparing the detected head count with number of presented access credentials.

Whenever the RFID card is swiped, the system will count the number of the actual entries. When mismatched, the system will create the alarm. This prevents both tailgating and piggybacking.

This is based on the **People Counting** analytics and **RFID** technology. [Read More.](#)

Solutions

Access Control Solution
(SF20) [Read](#)



Factory: Applications



Real-Time Suspect Tracking

Track the suspect seamlessly by switching between video channels using transparent video overlay buttons in video management system.

Track the suspect using the video management system interface by using the convenient feature of switching the views with 1 click on the video which opens up the next view of the area the suspect is moving towards to. This method works for both live view and playback. By this method it is possible to instantly find out where the suspect is going and dispatch officers to handle the situation immediately.

This is based on the unique **Visual Tracking** feature of ACTi's **NVR 3 and CMS 2**.

Solutions

Windows-Based NVR
Solution (SF11)

[Read](#)

Windows-Based NVR
and Control Center
Solution (SF12)

[Read](#)

Cloud-Based NVR
Solution (SF13)

[Read](#)



Factory: Applications



Vehicle Access Control

The access control at the gate can be done conveniently using ALPR technology.

Except for the highest security facilities, most locations can benefit from the automatic gate control without requiring the gate officer to be present all the time. Only the white-listed vehicles can enter the premises. Furthermore, it is possible to set up a blacklist which alerts the security officers instantly when the blacklisted vehicle appears.

This is based on the **ALPR** analytics inside ACTi cameras. [Read More.](#)

Solutions

Access Control Solution
(SF20) [Read](#)

Factory: Applications



Intercom Service

Interact with other individuals by local voice-based communication system.

There will be voice access points as intercoms in various locations across the factory, such as gates and entrances, loading area, parking lot and others. The employees and the visitors can talk to the security staff immediately using that feature.

This is based on the **NVR 3 or CMS 2** along with intercom devices such as **Q950**.

Solutions

Windows-Based NVR
Solution (SF11) [Read](#)

Windows-Based NVR
and Control Center
Solution (SF12) [Read](#)

Cloud-Based NVR
Solution (SF13) [Read](#)



Factory: Applications



Large Perimeter Surveillance

Detect any intrusion in the large perimeter area automatically.

The solutions are suitable for large areas with restricted or limited access, where every moving object (people, vehicles) should be monitored and evidence recorded.

This is based on the **People and Vehicle Enter Area Detection** analytics inside ACTi cameras. [Read More](#).

Solutions

Windows-Based NVR
Solution (SF11) [Read](#)

Windows-Based NVR
and Control Center
Solution (SF12) [Read](#)

Cloud-Based NVR
Solution (SF13) [Read](#)

Third Party Application
Integrated Solution
(SF22) [Read](#)

Third Party VMS
Integrated Solution
(SF23) [Read](#)



Factory: Applications



Equipment Status Monitoring

Monitor the health or the temperature of the equipment for instant actions.

There are two ways to receive the health information about the monitored equipment - either by observing its appearance using the optical or thermal cameras, or by receiving the health status data over the IP network.

This is based on the **Network Modules** for status data transmission or **Thermal Cameras**.

Solutions

Windows-Based NVR
Solution (SF11) [Read](#)


Windows-Based NVR
and Control Center
Solution (SF12) [Read](#)

Cloud-Based NVR
Solution (SF13) [Read](#)

Third Party Application
Integrated Solution
(SF22) [Read](#)



Factory: Applications



On-the-Go Surveillance

Monitor the views from surveillance cameras using a mobile device while walking around the premises, in order to respond to incidents instantly.

Universal mobile application designed to remotely access NVR, CMS or camera for video playback and management.

Features: Live view and playback, Search video recordings by events, PTZ Control, Google Maps, Activate Digital Output, Playback from camera's memory card

This is based on the **ACTi Mobile Client**, both for Android and iOS. It is free.

Solutions

Windows-Based NVR
Solution (SF11) [Read](#)

Windows-Based NVR
and Control Center
Solution (SF12) [Read](#)

Cloud-Based NVR
Solution (SF13) [Read](#)



Factory: Applications



Safety Assurance

Ensure safety of people using video surveillance system.

ACTi provides surveillance solution for ensuring the safety with both overview and details monitoring. By installing a camera with wide viewing angle at the center or the corner of the store, the whole area can be perfectly covered. Meanwhile, the faces of people entering the premises can be captured by the covert camera discreetly installed into the height strip at the entrance.

For large scale projects, ACTi TV Wall enables multiple views to be displayed on different monitors at the same time. Get the complete overview to improve situational awareness and operational efficiency.

Solutions

Windows-Based NVR
Solution (SF11)

[Read](#)

Windows-Based NVR
and Control Center
Solution (SF12)

[Read](#)

Cloud-Based NVR
Solution (SF13)

[Read](#)

Third Party Application
Integrated Solution
(SF22)


[Read](#)

Third Party VMS
Integrated Solution
(SF23)

[Read](#)



Factory: Applications



Video Evidence Push to NVR by Mobile Phone

Use the built-in camera of the mobile phone to stream the video evidence of the incident to NVR.

The patrolling security guard can now use his smartphone with ACTi Mobile Client to capture live video and "push" it through wireless network to NVR 3 in real time. Moreover, the recording can be reviewed later during incident investigation using advanced features that apply to surveillance cameras including synchronized playback, bookmarks, timeline search, and more.

This is based on the **ACTi Mobile Client**, both for Android and iOS. It is a free app.

Solutions

Windows-Based NVR
Solution (SF11)

[Read](#)

Windows-Based NVR
and Control Center
Solution (SF12)

[Read](#)








Factory: Recommended Products vs Locations

	Production Area	Storage	Control Room	Loading Area	Parking	Entrance	Gate	Surrounding
Thermal Cameras (VMGB-359 , VMGB-371)	Y	Y						Y
Intercom (Q950)	Y			Y	Y	Y	Y	
ALPR Bullet Camera (A426)					Y		Y	
Access Control Door Station (R1- R7- series readers/controllers)	Y	Y	Y	Y		Y	Y	
People Counter for Tailgating prevention (Q963)	Y	Y	Y	Y		Y	Y	
General Surveillance Bullets (3xx, 4xx series)	Y	Y	Y	Y	Y	Y	Y	Y
General Surveillance Domes (91x, 7xx, 8xx series)	Y	Y	Y	Y	Y	Y	Y	Y



ACTi Deep Learning AI Camera Product Line

Deep learning is a method in artificial intelligence (AI) that teaches computers to process data in a way that is inspired by the human brain. Deep learning models can recognize complex patterns in pictures, text, sounds, and other data to produce accurate insights and predictions.

Model	<u>A426</u>	<u>A826</u>	<u>A952</u>	<u>A956</u>	<u>Q83</u>
Photo					
Type	Zoom Bullet	Zoom Dome	Speed Dome	Speed Dome	Multi-Imager
Resolution	5MP	5MP	8MP	2MP	20MP
Lens	4.4x Zoom	4.4x Zoom	22x Zoom	40x Zoom	4 zoom lenses
Built-in Vehicle Related Analytics	Vehicle Counting, Vehicle Line Crossing Detection, Vehicle Enter Area Detection, Vehicle Incorrect Direction Detection, Vehicle Loitering Detection, Vehicle Tracking, Stopped vehicle detection, License Plate Detection, Automatic License Plate Recognition				



A426 Factory Installation



PMAX-0534

Pole Mount with Junction Box,
supports 3.25" to 7.0" Poles



A426

5MP Zoom Bullet with D/N,
Adaptive IR, Extreme WDR, SLLS,
4.4x Zoom Lens, **Deep Learning
AI**

ALPR Camera (A426)




<https://www.acti.com/video/v2902>

The AI camera can recognize multiple license plates across multiple lanes at the same time.

[WATCH THE VIDEO](#)

ALPR Camera + NVR 3




<https://www.acti.com/video/v2904>

ACTi NVR 3 supports the deep learning AI events and metadata. When the blacklisted vehicle is detected, the NVR will display instant alert.

[WATCH THE VIDEO](#)



ACTi AI Solution Architecture





ACTi Advantages compared to Server-Based AI Providers

- Hundreds of channels with deep learning analytics can be managed by a single VMS server, using just a common server hardware configuration. The Server-based AI solutions have limited number of channels and require very expensive hardware.
- VMS video recording functionality is much better secured when the VMS does not have the burden of running the analytics that may consume the server resource to its limits.
- Faster response to the events – AI cameras can control the other nearby PTZ cameras for instant response, to get better video coverage of the scene. The analyses that are processed on the VMS side will be too slow for proper response.
- Since the AI features are inside the camera, there are no Analytics related licenses required on the server side. Therefore, the cost of VMS in some cases is up to 10 times lower than the server-side AI solutions.



NVR and CMS Features

ACTi NVR 3 Corporate (and CMS 2) manages the analytics events from the cameras as follows:


1. Set up the analytic rules and thresholds – for example, how big is the crowd, how long time is considered loitering.
2. Receive real-time analytic events from all the cameras and respond by the pre-defined actions, such as send e-mail, instant pop-up of the video channel on the VMS screen and more.
3. Automatically push video to the mobile app of the patrolling security guards.
4. Search by the specific filter rules, bookmarks, thumbnails.



Where to Buy

Via Authorized Resellers

<https://www.acti.com/Corporate/WhereToBuy>



From ACTi Corporation Directly

E-Mail: sales@acti.com

Tel (US): +1-866-410-2284 (Toll Free)

Tel (Non-US): +886-2-2656-2588



Support & Services

Technical Support

- Online Customer Helpdesk - <https://www.acti.com/chd>
- Phone support

US: +1-866-410-2284 (Toll Free)

Other Regions: +886-2-2656-5200

RMA Services

- [Warranty](#)
- [Repair services](#)

Training

- [Self-learning](#)