


# PMAX-0503



Pole Mount (for PMAX-0102, PMAX-0312, PMAX-0313, PMAX-0314, PMAX-0702, PMAX-1106, PMAX-1107) , supports 5.25" to 8.5" Poles

## ► Specifications

### Device



|                         |   |
|-------------------------|---|
| Product Type            | Camera Mount  |
| Application Environment | Indoor/Outdoor  |
| Description             | Pole Mount (for PMAX-0102, PMAX-0312, PMAX-0313, PMAX-0314, PMAX-0702, PMAX-1106, PMAX-1107) , supports 5.25" to 8.5" Poles |

### General






|                      |  |
|----------------------|--|
| Supported Pole Range | 5.25" ~ 8.5"   |
| Weight               | 652.5g (1.439lb)   |
| Dimensions           | (W x H x D): 160.3mm x 240mm x 236.5mm (6.31" x 9.45" x 9.31") |
| Color                | Warm Gray  |
| Material             | Aluminum   |
| Warranty             | 1 Year(s)  |

## ▶ Related Products



### Box - Box

|      |   |   |
|------|---|---|
| A213 |  | 5MP Box with D/N, Extreme WDR, ELLS, Fixed lens, f2.8mm/F2.0, Auto Back Focus, H.265/H.264, 2D+3D DNR, Built-in Microphone, MicroSDHC/ MicroSDXC, PoE/DC12V, DI/DO, RS-485            |
| A29  |  | 2MP Box with D/N, Extreme WDR, ELLS, Fixed lens, f2.8mm/F1.8 (HOV:108.6°), Auto Back Focus, H.265/H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, DI/DO, RS-485 |




### Dome - Zoom Dome




|      |  |  |
|------|--|--|
| A811 |   | 4MP Outdoor Zoom Dome with D/N, IR, Extreme WDR, SLLS, 5x Zoom lens, f2.7-13.5mm/F1.6 (HOV:104°-29°), Auto Focus (for installation), H.265/H.264, 1080p/30fps, , 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10, DI/DO       |
| A818 |   | 6MP Outdoor Zoom Dome with D/N, IR, Extreme WDR, SLLS, 5x Zoom lens, f2.7-13.5mm/F1.6 (HOV:82.2°-28.7°), Auto Focus (for installation), H.265/H.264, 1440p/30fps, 3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10, DI/DO |
| A820 |   | 4MP Outdoor Zoom Dome with D/N, IR, Extreme WDR, SLLS, 5x Zoom lens, f2.7-13.5mm/F1.6 (HOV:102.8°-32.4°), H.265/H.264, 3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10, DI/DO  |
| A821 |   | 6MP Outdoor Zoom Dome with D/N, IR, Extreme WDR, SLLS, 5x Zoom lens, f2.7-13.5mm/F1.6 (HOV:102.1°-34.5°), H.265/H.264, 3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10, DI/DO  |
| A826 |  | 5MP Outdoor Zoom Dome with D/N, Adaptive IR, Extreme WDR, SLLS, 4.4x Zoom lens, f2.7-12mm/F1.6 (HOV:102.1°-31.5°), P-Iris, Auto Focus, H.265/H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V/AC24V, IP66, IK10, DI/DO |

### Dome - Hemispheric Dome

|      |   |   |
|------|---|---|
| A711 |  | 12MP Outdoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.65mm/F2.8 (HOV:180°), H.265/H.264, Dewarping, 2D+3D DNR, Built-in Microphone, MicroSDHC/ MicroSDXC, PoE/DC12V, IP66, IK10, DI/DO |
| A713 |  | 5MP Outdoor Hemispheric Dome with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f1.1mm/F2.4, H.265/H.264, Dewarping, 2D+3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP66, IK10, DI/DO                    |

### PTZ - Speed Dome

|      |   |  |
|------|---|--|
| Z950 |  | 2MP Outdoor Speed Dome with D/N, Adaptive IR, Advanced WDR, SLLS, 20x Zoom lens, f5.2-104mm/F1.5-3.0 (HOV: 61.9°-3.5°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC, DC24V/AC24V, IP66, IK10 (metal casing), DI/DO |
| Z952 |  | 4MP Outdoor Speed Dome with D/N, Adaptive IR, Superior WDR, SLLS, 25x Zoom lens, f4.8-120mm/F1.5-3.8 (HOV: 52.20°-2.74°), Auto Focus, H.265/H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSD, High PoE/DC12V, IP66, IK10, DI/DO |
| Z954 |  | 8MP Outdoor Speed Dome with D/N, Adaptive IR, Superior WDR, SLLS, 25x Zoom lens, f6-150mm/F1.5-3.4 (HOV: 60.5°-3.1°), Auto Focus, H.265/H.264, 4K/30fps, 2D+3D DNR, Audio, MicroSD, High PoE/DC24V/AC24V, IP66, DI/DO        |

|      |   |  |
|------|---|--|
| Z956 |  | 4MP Outdoor Speed Dome with D/N, Extreme WDR, SLLS, 33x Zoom lens, f4.5-148.5mm/F1.5-4.0 (HOV: 51.4°-2.5°), Auto Focus, H.265/H.265, 3D DNR, Audio, MicroSD, High PoE/DC24V/AC24V, IP67, IK10, DI/DO, RS-485                             |
| Z957 |  | 4MP Outdoor Speed Dome with D/N, Adaptive IR, Extreme WDR, ELLS, 33x Zoom lens, f4.5-148.5mm/F1.5-4.0 (HOV: 51.4°-2.5°), Auto Focus, H.265/H.264, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, High PoE/DC24V/AC24V, IP66, IK10, DI/DO, RS-485 |
| Z958 |  | 2MP Outdoor Speed Dome with D/N, Adaptive IR, Extreme WDR, ELLS, 16x Zoom lens, f5.0-80mm/F1.7-2.8 (HOV: 51.7°-4.89°), Auto Focus, H.265/H.264, 2D+3D DNR, MicroSDHC/MicroSDXC, High PoE/DC12V, IP66, IK10                               |